

ET3203

End Termination

Description

ET3203 is a low silver, nickel plateable, end termination. It is designed to be compatible on inductor bodies, multi-layer varistors and multilayer ceramic chip capacitors (NPO and X7R bodies). Nickel plating can be done without pre-plate processing due to the low glass content on the fired surface.

Key Features

- Low Ag content (63 %)
- Nickel plateable no pre-plate processing
- Low usage excellent coverage uniformity
- Dense fired microstructure



This picture does not show the packaging of ET3203 and is solely intended for illustration purposes. The products are available in different packaging configurations and may change over time. Please refer to the latest safety data sheets for safety-relevant pictograms.

Typical Properties

Viscosity	25-35 Kcps Brookfield RVT SC4-14 spindle, 6R utility cup at 10 rpm, 25 °C
Metal	Ag

Recommended Processing Guide

Process Temperature (TDS)	650-800 °C peak temperature. Dwell time at temp. 5-7 minutes.
---------------------------	---

Americas

Phone +1 610 825 6050
electronics.americas@heraeus.com

Asia Pacific

Phone +65 6571 7649
electronics.apac@heraeus.com

China

Phone +86 53 5815 9601
electronics.china@heraeus.com

Europe, Middle East and Africa

Phone +49 6181 35 4370
electronics.emea@heraeus.com

The descriptions and engineering data shown here have been compiled by Heraeus using commonly accepted procedures, in conjunction with modern testing equipment, and have been compiled according to the latest factual knowledge in our possession. The information was up-to date on the date this document was printed (latest versions can always be supplied upon request). Although the data is considered accurate, we cannot guarantee accuracy, the results obtained from its use, or any patent infringement resulting from its use (unless this is contractually and explicitly agreed in writing, in advance). The data is supplied on the condition that the user shall conduct tests to determine materials suitability for particular application. The Heraeus logo and Heraeus, figurative mark are trademarks or registered trademarks of Heraeus Holding GmbH or its affiliates. All rights reserved.